


F FLINTRENTS

THE SOUTHEAST'S PREMIER DEALER
& EARTHMOVING RENTAL SOURCE



TECHNOLOGY SOLUTIONS PAGE 3

EARTHMOVING PAGES 4-8

MATERIAL HANDLING & LANDSCAPING PAGE 9

COMPACTION PAGE 10

RENT THE BEST. RENT A DEERE.

1 WHY RENT WITH FLINT?

What do you get when you team up with Flint Rents? A fully trained, heavily experienced, firmly committed team of dirt-working professionals, ready and willing to help you keep running no matter the task at hand. No other rental store in the southeast knows dirt like we do, and we'll prove it day-in, day-out, till the job gets done.

Our rental fleet offers super-reliable John Deere & Hitachi equipment from excavators, dozers, skid steers, wheel loaders, backhoes, and more that will meet any of your requirements. We also offer a full-range of construction, paving, and mining equipment from other top-tier manufacturers. With our large inventory and stores conveniently located across the southeast, you are sure to find what you need, when you need it to boost your onsite productivity, maximize your uptime, and run your world.

- National network of top-tier John Deere support dealers
- Daily, weekly, monthly, and long-term rental contracts
- Clean, well-maintained, superior equipment
- Precision technology solutions including Connected Support, GPS, SmartGrade, & Machine Monitoring
- RPO & financing options available
- Locally owned and operated

Let us show you how Flint does business. We're confident you'll be pleased with our partnership.

WELCOME TO THE FLINT FAMILY.

2 C&F LOCATIONS



- Adairville, GA** (770) 773-9857
- Albany, GA** (229) 888-1212
- Andrews, SC** (843) 221-4940
- Atlanta, GA** (404) 691-9445
- Aynor, SC** (843) 358-5688
- Braselton, GA** (770) 965-1889
- Brunswick, GA** (912) 264-6161
- Columbus, GA** (706) 687-3344
- Dothan, AL** (334) 794-8691
- Grovetown, GA** (706) 855-5440
- Ladson, SC** (843) 572-0400
- Macon, GA** (478) 788-1586
- Savannah, GA** (912) 964-7370
- Simpsonville, SC** (864) 963-5835
- Troy, AL** (334) 566-4181
- Valdosta, GA** (229) 474-6680
- Walterboro, SC** (843) 539-1420
- West Columbia, SC** (803) 794-9340





GPS have you lost? We can help. Whether you're fully immersed in the latest and greatest in machine control, or just exploring what you may be missing, the Flint Customer Technology Solutions Team is here to help. Short on bases & rovers for the next project? Flint Rents. Want to evaluate the best automated slope control system out there? Flint Rents. Want to add to your grade control dozer fleet in small equity increments as opposed to all at once? Flint Rents.

AND WHAT DO YOU GET WITH FLINT RENTS TECH SOLUTIONS?

- **Training.** Included with all rentals, along with follow-up. Custom plans available if needed also.
- **Support.** Rely on our staff to keep you running. Phone, field, or even remote access, we've got you covered.
- **3D Modeling Services.** If you don't have the plans yet, we're partnered with the best 3D modeling firms in the south.
- **SmartGrade.** Dozers, Graders, Excavators... even compact track loaders are all available to rent with SmartGrade options. Just look for the SmartGrade logo.
- **Aftermarket Machine Control.** Topcon, Trimble, Leica and more all have a place in our fleet.
- **Field GNSS Systems.** Base stations, rovers, data collectors, radios – you name it, we rent it.

Don't wait! We offer a no-strings attached demo. When you like what you see (because most customers do), you can take advantage of an introductory 90-day rental rate to further prove the success & start building equity. Continue to rent, or convert and own! Either way, our experts are standing by to help along the way!



ARTICULATED DUMP TRUCKS

MODEL NAME	260	310	410	460
MANUFACTURER	John Deere	John Deere	John Deere	John Deere
NET POWER	321hp	354hp	443hp	481hp
RATED PAYLOAD	24,192kg	28,125kg	37,266kg	41,819kg
HEAPED CAPACITY	19.6 cu. yd.	22.9 cu. yd.	29.7 cu. yd.	33.4 cu. yd.



BACKHOES

MODEL NAME	310	315	410	710
MANUFACTURER	John Deere	John Deere	John Deere	John Deere
NET PEAK POWER	69 - 93hp	99hp	113hp	148hp
STANDARD DIPPERSTICK DIG DEPTH	14 ft. 1 in. - 15 ft. 1 in.	13 ft. 5 in.	15 ft. 11 in.	17 ft. 3 in.
OPERATING WEIGHT	14,669 lb.- 16,571 lb.	17,554 lb.	17,786 lb.	25,588 lb.
LIFT MODE	x		x	x



COMPACT TRACK LOADERS

MODEL NAME	317	325	331	333
MANUFACTURER	John Deere	John Deere	John Deere	John Deere
OPERATING CAPACITY	2,125 lb.	1,176 lb.	1,407 lb.	1,680 lb.
HORSEPOWER	65hp	74hp	91.2hp	100hp
OPERATING WEIGHT	8,423 lb.	9,500 lb.	11,900 lb.	12,100 lb.
LIFT HEIGHT	10 ft. 1 in.	10 ft. 6 in.	11 ft. 0 in.	11 ft. 0 in.
BUCKET BREAKOUT FORCE	4,250 lb.	6,000 lb.	7,600 lb.	9,250 lb.



CRAWLER LOADERS

MODEL NAME	655	755
MANUFACTURER	John Deere	John Deere
NET POWER	155hp	195hp
OPERATING WEIGHT	40,614 lb.	45,178 lb.
HEAPED CAPACITY	2.4 cu. yd.	3.2 cu. yd.
BREAKOUT FORCE	33,271 lbf	44,287 lbf
DUMP HEIGHT	105 in.	116 in.



DOZERS

MODEL NAME	450	550	650	700	750	850	950	1050
MANUFACTURER	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere
NET POWER	80hp	92hp	104hp	135hp	175hp	225hp	265-280hp	350hp
OPERATING WEIGHT	17,510 - 18,752 lb.	19,758 - 21,000 lb.	21,320 - 22,343 lb.	30,900 - 32,088 lb.	39,976 - 40,040 lb.	47,578 - 51,365 lb.	65,300 - 73,700 lb.	94,300 - 95,000 lb.
TRACK ON GROUND	86 in.	86 in.	92 in.	103 in.	103-122 in.	103 in.	126.5-135.1 in.	134.6 in.
BLADE WIDTH RANGE	97-124 in.	105-124 in.	105-128 in.	121-145 in.	10 ft. 9 in.	129-194 in.	153-204 in.	156-202 in.
SMARTGRADE AVAILABLE			SMARTGRADE	SMARTGRADE	SMARTGRADE	SMARTGRADE	SMARTGRADE	SMARTGRADE



COMPACT EXCAVATORS

MODEL NAME	17	26	30	35	50	60
MANUFACTURER	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi
NET POWER	14.5hp	20hp	23hp	23.3hp	35.9hp	39.6hp
MAX DIGGING DEPTH	7 ft. 2 in.	8 ft. 6 in.	9 ft. 2 in.	10 ft. 0 in.	11 ft. 7 in.	12 ft. 4 in.
OPERATING WEIGHT	3,790 lb.	6,110 lb.	7,220 lb.	8,135 lb.	10,847 lb.	13,620 lb.
MAX DIGGING REACH	12 ft. 6 in.	15 ft. 2 in.	16 ft. 1 in.	17 ft. 1in.	19 ft. 7 in.	20 ft. 5 in.
HYDRAULIC ANGLE BACKFILL BLADE				x	x	x



MID-SIZE EXCAVATORS

MODEL NAME	75	85	130	135	160	190 W	200
MANUFACTURER	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi
NET POWER	56.9hp	56.9hp	98hp	101hp	122hp	173hp	145hp
MAX DIGGING DEPTH	15 ft. 1 in.	14 ft. 10 in.	19 ft. 9 in.	18 ft. 4 in.	21 ft. 4 in.	19 ft. 2 in.	23 ft. 2 in.
OPERATING WEIGHT	17,952 lb	19,2444 lb.	29,531 lb.	30,620 lb.	39,526 lb.	43,431 lb.	45,789 lb.
REDUCED TAILSWING	x	x		x			

MODEL NAME	210	245	250	300	345	350	380
MANUFACTURER	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi
NET POWER	159hp	159hp	188hp	223hp	249hp	271hp	271hp
MAX DIGGING DEPTH	21 ft. 11 in.	21 ft. 9 in.	47 ft. 1 in.	25 ft. 10 in.	24 ft. 10 in.	26 ft. 10 in.	26 ft. 10 in.
OPERATING WEIGHT	52,097 lb.	56,170 lb.	59,066 lb.	69,223 lb.	78,710 lb.	79,655 lb.	84,234
GRADE MANAGEMENT OPTIONS	SMARTGRADE			SMARTGRADE		SMARTGRADE	
REDUCED TAILSWING		x			x		



LARGE EXCAVATORS

MODEL NAME	470	670	870
MANUFACTURER	John Deere/Hitachi	John Deere/Hitachi	John Deere/Hitachi
NET POWER	367hp	463hp	512hp
MAX DIGGING DEPTH	27 ft. 2 in.	30 ft. 0 in.	31 ft. 5 in.
OPERATING WEIGHT	112,916 lb.	154,103 lb.	188,716 lb.



Hammers and Thumbs available!



MOTORGRADERS

MODEL NAME	620	622	670	672	770	772	870	872
MANUFACTURER	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere
NET POWER	215hp	225hp	235hp	255hp	255hp	275hp	280hp	300hp
OPERATING WEIGHT	40,400 lb.	42,108 lb.	42,396 lb.	44,092 lb.	42,825 lb.	45,195 lb.	45,668 lb.	47,620 lb.
BLADE PULL	31,066 lb.	45,000 lb.	34,173 lb.	49,500 lb.	34,173 lb.	49,500 lb.	34,173 lb.	49,500 lb.
SIX-WHEEL DRIVE		x		x		x		x
SMARTGRADE AVAILABLE	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]	SMARTGRADE [®]



SKID STEERS

MODEL NAME	312	314	316	318	320	324	330	332
MANUFACTURER	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere
OPERATING CAPACITY	1,550 lb.	1,760 lb.	1,750 lb.	1,945 lb.	2,190 lb.	2,690 lb.	3,000 lb.	3,600 lb.
HORSEPOWER	48hp	48hp	61hp	61hp	66hp	70hp	88.5hp	96.6hp
OPERATING WEIGHT	5,905 lb.	6,140 lb.	6,180 lb.	6,542 lb.	7,150 lb.	7,700 lb.	9,900 lb.	10,000 lb.
LIFT HEIGHT	9 ft. 7 in.	10 ft. 1 in.	9 ft. 7 in.	10 ft. 1 in.	10 ft. 2 in.	10 ft. 6 in.	11 ft. 0 in.	11 ft. 0 in.
BUCKET BREAKOUT FORCE	3,700 lb.	3,500 lb.	4,000 lb.	4,250 lb.	4,200 lb.	6,000 lb.	7,600 lb.	9,250 lb.



TRACTOR LOADERS

MODEL NAME	210	210 EP
MANUFACTURER	John Deere	John Deere
NET POWER	93hp	69hp
OPERATING WEIGHT	11,326 lb.	10,569 lb.
BREAKOUT FORCE	8,245 lb.	8,245 lb.
LIFT CAPACITY	5,575 lb.	5,575 lb.



COMPACT WHEEL LOADERS

MODEL NAME	204	244	304	324	344
MANUFACTURER	John Deere	John Deere	John Deere	John Deere	John Deere
NET POWER	61hp	71hp	65hp	71hp	103hp
OPERATING WEIGHT	11,806 lb.	12,258 lb.	12,778 lb.	14,110 lb.	19,533 lb.
BUCKET CAPACITY	1.0-1.4 cu. yd.	1.0-1.4 cu. yd.	1.0-2.1 cu. yd.	1.0-2.1 cu. yd.	2.0-2.6 cu. yd.
CAB HEIGHT	7 ft. 11 in.	9 ft. 0 in.	8 ft. 0 in.	9 ft. 1 in.	9 ft. 11 in.
ARTICULATION PLUS		x		x	x
HIGH LIFT OPTION				x	x



MID-SIZE WHEEL LOADERS

MODEL NAME	444	524	544	624	644	644 Hybrid	724
MANUFACTURER	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere	John Deere
NET POWER	124hp	152hp	166hp	192hp	249hp	231hp	268hp
OPERATING WEIGHT	25,814 - 27,670 lb.	28,931 - 31,097 lb.	30,520 - 32,827 lb.	34,715 - 37,174 lb.	41,246 - 42,913 lb.	41,571 - 43,400 lb.	43,707 - 45,103 lb.
BUCKET CAPACITY	2.5-4.5 cu. yd.	2.5-4.0 cu. yd.	2.5-4.5 cu. yd.	3.0-5.25 cu. yd.	4.0-4.75 cu. yd.	4.0-4.75 cu. yd.	4.0-5.0 cu. yd.
HIGH LIFT OPTION	x	x	x	x	x	x	x



LARGE WHEEL LOADERS

MODEL NAME	744	824	844	944 Hybrid
MANUFACTURER	John Deere	John Deere	John Deere	John Deere
NET POWER	316hp	343hp	417hp	536hp
OPERATING WEIGHT	55,872 - 58,713 lb.	60,645 - 62,891 lb.	74,831 - 76,670 lb.	119,607 - 124,614 lb.
BUCKET CAPACITY	5.0-5.85 cu. yd.	5.0-6.75 cu. yd.	6.3-8.0 cu. yd.	8.5-10.0 cu. yd.
HIGH LIFT OPTION	x	x		x



MATERIAL BLOWERS

MODEL NAME	BB302	BB 5-Series	MBH6
ENGINE MANUFACTURER	Yanmar 3TNV88C-DYEM	Cummins QSF 2.8	Yanmar 4TNV98C
ENGINE POWER	35.1hp	65hp	67hp
DISCHARGE	10 cu. yd. of mulch per hour	15 cu. yd. of mulch per hour	15 cu. yd. of mulch per hour
EMPTY WEIGHT	5,350 lbs.	8,835 lbs.	7,500 lbs.
HOSE DIMENSIONS	150 feet of 4-inch blower	150 feet of 4-inch blower	150 feet of 4-inch blower



STRAW BLOWERS

MODEL NAME	B40	B70
ENGINE MANUFACTURER	Kohler CH640	Yanmar 3TNV88C-DYEM
ENGINE POWER	20.5hp	35.1hp
DISCHARGE	4 tons of straw per hour	6-7 tons of straw per hour
DISCHARGE PORT DIMENSIONS	360° rotation and 50° vertical travel	360° rotation and 70° vertical travel



HYDROSEEDERS

MODEL NAME	T30	T60	T75	T90	T120	LF120
ENGINE MANUFACTURER	Kohler CH620	Kohler CH730	Kohler CH730	Yanmar 3TNV88C-DYEM	Yanmar 3TNV88C-DYEM	Yanmar 3TNV88C-DYEM
ENGINE POWER	19hp	23.5hp	23.5hp	35.1hp	35.1hp	35.1hp
DISCHARGE	up to 70 feet from end of hose	up to 90 feet from end of tower	up to 150 feet from end of tower	up to 180 feet from end of tower	up to 180 feet from end of tower	up to 180 feet from end of tower
TANK SIZE	281 gallon	500 gallon	700 gallon	800 gallon	1,000 gallon	1,000 gallon
EMPTY WEIGHT	1,480 lbs.	2,770 lbs.	3,250 lbs.	5,810 lbs.	6,170 lbs.	6,660 lbs.

MODEL NAME	T170	HT330	HT400	T330	T400
ENGINE MANUFACTURER	Cummins QSF 2.8	John Deere 4045HFC09	John Deere 4045HFC09	Cummins QSB (4.5L)	Cummins QSB (4.5L)
ENGINE POWER	65hp	173hp	173hp	173hp	173hp
DISCHARGE	up to 200 feet from end of tower	greater than 300 feet from tower	greater than 300 feet from tower	up to 320 feet from tower	up to 320 feet from tower
TANK TYPE	1,500 gallon	3,000 gallon	3,600 gallon	3,000 gallon	3,600 gallon
EMPTY WEIGHT	6,770 lbs.	14,000 lbs.	15,000 lbs.	12,840 lbs.	13,680 lbs.



SWEEPERS

MODEL NAME	BB-250	BW-260	350 Series	MK-1	Turf Boss
MANUFACTURER	Broce	Broce	Broce	Broce	Broce
ENGINE MANUFACTURER	Kubota	Kubota	Options	Cummins QSF3.8	Kubota
ENGINE POWER	24hp	24hp		130hp	24hp
MACHINE WEIGHT	3,000 lb.	3,200 lb.	5,000 lb.	10,620 lb.	3,000 lb.
BROOM SIZE	6.375 x 24 in.	6.374 x 24 in.	10 x 32 in.	10 x 32 in.	6.374 x 24 in.
BROOM LENGTH	8 ft.	8 ft.	8 ft.	8 ft.	8 ft.

COMPACTION



SINGLE DRUM ROLLERS

COMPACTION WIDTH	67 inch	67 inch	84 inch	84 inch	84 inch	84 inch	84 inch
OPERATING WEIGHT	6,600 lb.	6,950 lb.	10,600 lb.	12,100 lb.	12,600 lb.	13,830 lb.	15,500 lb.
ENGINE POWER	75hp	75hp	127hp	127hp	127/154hp	127/154hp	154hp



DOUBLE DRUM ROLLERS

COMPACTION WIDTH	47 inch	67 inch	78 inch	84 inch
OPERATING WEIGHT	5,952 lb.	21,605 lb.	26,125 lb.	28,000 lb.
ENGINE POWER	25hp	127hp	127hp	150hp



TRENCH ROLLERS

COMPACTION WIDTH	24 to 34 inches
OPERATING WEIGHT	3,500 lb.
ENGINE POWER	20 hp



RENT THE BEST. RENT A DEERE.



F FLINTRENTS

CONTACT US | 877.638.7221 | RENT@FLINTEQUIPCO.COM